The meeting started with the name of Allah. Thereafter, Dr. Haider Ali, Convener Procurement Committee welcomed the participants and invited the representatives of prospective bidders to ask queries, if any, in the terms and conditions of tender documents or specifications. After hearing representatives of the bidders and detailed discussion, the Committee recommended the following amendments in the tender documents: -

- The date for submission and opening of bids may be extended to 27th
 December, 2022 instead of 20th December, 2022 through national dailies.
- 2. The term "DDP" appearing in tender notice and tender documents may be treated as deleted.
- 3. The delivery period mention in clause -2 of Section-III (conditions of contract) may be read as 100 days for supply of Desktop Computers only. Delivery period for other items shall remain as 30 days.
- 4. In Section-IV of the bidding documents, the revised list of items, technical specifications and quantities will be as under: -

SECTION -IV ITEMS, TECHNICAL SPECIFICATIONS AND QUANTITIES

Item No.	Item and Technical Specification	Qty
1.	Branded Desktop Computers	
	Specs:	
	Core-i7, 10 th Generation, 16 GB RAM, 500 GB SSD + 500 GB HDD , 2 GB	57
	graphic card (Integrated), 22" LED Monitor, with all accessories including	
	wireless LAN adapter, USB Keyboard, USB Optical Mouse, Optical Drive	
	Software: MS Windows (latest) and MS office suite (latest) along antivirus	
	(licensed)	
	Dell, HP or equivalent	
2	Branded Desktop Computers	66
	Specs:	
	Core-i7, 10 th Generation, 16 GB RAM, 500 GB SSD, 2 GB graphic card	
	(Integrated), 22" LED Monitor, with all accessories including wireless LAN	
	adapter, USB Keyboard, USB Optical Mouse, Optical Drive.	
	Software: MS Windows (latest) and MS office suite (latest) along antivirus	
	(licensed).	
	Dell, HP or equivalent	

3	Branded Desktop Computers	55
	Specs:	
	Core-i7, 10 th Generation, 16 GB RAM, 500 GB SSD, 2 GB graphic card	
	(Dedicated) , 22" LED Monitor, with all accessories including wireless LAN adapter, USB Keyboard, USB Optical Mouse, Optical Drive.	
	Software: MS Windows (latest) and MS office suite (latest) along antivirus	
	(licensed)	
	Dell, HP or equivalent	
4	42U Rack	
	Specs:	01
	Size: 42U Standard server rack with all accessories, With 24port patch	Οī
	panel / cable manager 8port PDU (03 No's)	
5	2U rack standard size wall	05
	mounted with all accessories	
6	CAT-6 cable	01
	Pure copper outdoor use, 305 Meter (Schneider or equivalent)	Roll
	POE Giga Switch:	
	Spec: 16 Port Fast Ethernet, Upmanaged POE Switch	
7	16 Port Fast Ethernet, Unmanaged POE Switch. 16 x 10/100 Mbps PoE, ports, 1 x 10/100/1000, Mbps uplink ethernet port	01
'	and 1 x 10/100/1000 Mbps, uplink SFP port, IEEE 802.3 aflame; at high	01
	POE power supply, Maximum 250 m long, distance PoE transmission VIP	
	port transmission, Priority	
8	Multimedia Projectors	12
	Specs:	
	Projector resolution 1024 x 768, brightness 2800 lumens or above, contrast	
	4000: 1 or above, input and outputs HDMI, VGA, built in wireless	
	connectivity, energy saving model/eco mode technology for long lamp life,	
	along with installation, mount sealing, branded HDMI and high quality VGA	
	cables (10 meter length), wall mount screen size 8 x 6 feet.	
9	Printer	03
9		US
	Specs:	
	3in1 (Printer, copier, scanner),	
	Printing Technology: Laser	
	Print resolution: 600x600 dpi	
	Copy resolution: up to 600 x 400dpi	
	Input capacity:150 sheets	
	Output capacity:100 sheets	
	Scan Resolution: up to 1200x1200 Dpi	
10	Color Printer	01
	HP Color Laser Jet Pro MFP M183 FW or equivalent	
11	Automatic Paper Shredder Machine	01
	Specs:	
	Shred Capacity: At least 20 sheets	
	Size & Cut Type: 2 x 10 mm micro cuts	
	Bin Volume: At least 20 L	

Specs: 1150 Paper sheet capacity Speed 40ppm, Resolution: 1200 x 1200 dpi (print, at reduced speed), 600 x 600 dpi (scan/copy), Standard interface: USB 2.0 (Hi-Speed) PAPER HANDLING: Input capacity: 100-sheet multi-purpose tray, Standard universal paper cassette: 2 x 500 sheet, Max. input capacity with options: 4,100 sheets A4	
Speed 40ppm, Resolution: 1200 x 1200 dpi (print, at reduced speed), 600 x 600 dpi (scan/copy), Standard interface: USB 2.0 (Hi-Speed) PAPER HANDLING: Input capacity: 100-sheet multi-purpose tray, Standard universal paper cassette: 2 x 500	
600 x 600 dpi (scan/copy), Standard interface: USB 2.0 (Hi-Speed) PAPER HANDLING: Input capacity: 100-sheet multi-purpose tray, Standard universal paper cassette: 2 x 500	
PAPER HANDLING: Input capacity: 100-sheet multi-purpose tray, Standard universal paper cassette: 2 x 500	
100-sheet multi-purpose tray, Standard universal paper cassette: 2 x 500	
sheet Max input capacity with ontions: 4 100 sheets A4	
Choot, Max. Input dapatity With options. 4, 100 shoots /14	1
Duplex unit: Duplex as standard supports	
Interface, Gigabit Ethernet	
13 Standing AC/ Tower AC with atleast 9 feet copper pipes and ducting	23
Specs	
DC Inverter (Heat & Cold)	
Specs:	
Capacity: 2 Ton	
Type: DC Inverter	
Cooling Capacity	
BTU: 24000	
Heating Capacity	
BTU: 24000	
14 Split AC with atleast 9 feet copper pipes and ducting	11
Specs	
DC Inverter (Heat & Cold)	
Specs:	
Capacity: 1.5 Ton	
Wall Mounted	
Type: DC Inverter	
Cooling Capacity	
(BTU): 18000	
Heating Capacity	
(BTU): 18000	07
15 Hybrid UPS solar supported MPPT	07
Specs: 3.2 KVA	
Capacity :3200W	
Input Voltage:230 VAC	
Selectable Voltage Range: 170-280 VAC AND 90-280 VAC	
Frequency range:50 Hz/60 Hz	
Out Put (Off-Grid Operation):	
AC Voltage Regulation (Batt Mode) 230 VAC ± 5%	
Surge Power:6400 VA	
Efficiency Peak 90 %~93 %	
Transfer Time 15 ms and 20 ms	
Waveform : Pure sine Wave	
Out Put (Grid-TIE Operation):	
Nominal Out Put Voltage :230 VAC ± 5 %	

	Out Put Voltage Range:195-253 @ Asia Region Regulation	
	Nominal Out Put Current:13 A	
	Power Factory : >0.99	
	Battery:	
	Battery Voltage 24 VDC	
	Floating Charge Voltage 27 VDC	
	Overcharge Protection 31 VDC	
	Solar Charger & AC Charger	
	Solar Charge Type MPPY	
	Maximum PV Array Open Circuit Voltage:500 VDC	
	Maximum PV Array Power:4000 W	
	MPP Range@ Operation Voltage 120~450 VDC	
	Maximum Solar Charge Current 80 A	
	Maximum AC Charge Current 60 A	
16	Batteries for UPS	25
	Specs: (200 AH)	
	12 Volts Lead Acid	

The above amendments may be uploaded on University as well as KPPRA websites and may be made part of the bidding documents. A Corrigendum may be published in the national dailies.